



Steep Hill Arkansas

11711 HERMITAGE ROAD, SUITE #5 LITTLE
ROCK, AR 72211
License #: BL157155
Phone: 501-516-8028

Certificate of Analysis

Client Name: Elevado Drinks LLC

Address: One South Church Ave ste 1200

Phone: 000-000-0000

License Number:

Sample ID: AR43797

Sample Name: ELEVADO - Mango Margarita - Hemp
Infused

Sample Matrix: Beverage

Date Received: 2/25/2024

Batch ID:

State ID:

Date Reported: 2/27/2024

Density: 1.02

Package Volume: 355.0

Servings: 1



Cannabinoids

Standard potency analysis utilizing Ultra High Performance Liquid Chromatography (UHPLC; SOP-068-AR)

Analyte	%	mg/g	mg/mL	mg/serv	mg/pkg	LOD (mg/serv)	LOQ (mg/serv)
CBC	ND	ND	ND	ND	ND	0.1	1.0
BCBA	ND	ND	ND	ND	ND	0.1	1.0
CBD	0.001	0.01	0.01	4.81	4.8	0.1	1.0
CBDA	ND	ND	ND	ND	ND	0.1	1.0
CBDV	ND	ND	ND	ND	ND	0.1	1.0
CBDVA	ND	ND	ND	ND	ND	0.1	1.0
CBG	ND	ND	ND	ND	ND	0.1	1.0
CBGA	ND	ND	ND	ND	ND	0.1	1.0
CBN	ND	ND	ND	ND	ND	0.1	1.0
9-THC	0.001	0.01	0.01	4.9	4.9	0.1	1.0
delta-8-THC	ND	ND	ND	ND	ND	0.1	1.0
THCA	ND	ND	ND	ND	ND	0.1	1.0
THCV	ND	ND	ND	ND	ND	0.1	1.0
THCVA	ND	ND	ND	ND	ND	0.1	1.0
Total THC	0.001	0.01	0.01	4.9	4.9		
Total CBD	0.001	0.01	0.01	4.81	4.8		
Total Cannabinoids	0.002	0.02	0.02	9.71	9.7		

Brandon Thornton
Pharm D. Co-Owner & CEO
Date: 2/24/2024



Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN ARKANSAS. When applicable, Steep Hill Arkansas may use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report shall only be reproduced in its entirety.

Sample ID: AR43797

Accreditation # 97338



Certificate of Analysis

PASSED

Elevado Drinks

 One South Church Ave
 Tucson, AZ, 85701, US
 Telephone: (949) 375-0192
 Email: steve@elevadodrinks.com

 Sample : KN40212009-001
 Harvest/Lot ID: 001

 Batch# : 001
 Sampled : 02/09/24
 Ordered : 02/09/24

 Sample Size Received : 340 gram
 Completed : 02/26/24 Expires: 02/26/25

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
ABAMECTIN B1A	0.012	ppm	0.3	PASS	ND	PIPERONYL BUTOXIDE	0.006	ppm	3	PASS	ND
ACEPHATE	0.008	ppm	3	PASS	ND	PRALLETHRIN	0.008	ppm	0.4	PASS	ND
ACEQUINOCYL	0.038	ppm	2	PASS	ND	PROCONAZOLE	0.007	ppm	1	PASS	ND
ACETAMIPRID	0.009	ppm	3	PASS	ND	PROPOXUR	0.008	ppm	0.1	PASS	ND
ALDICARB	0.009	ppm	0.1	PASS	ND	PYRETHRINS	0.002	ppm	1	PASS	ND
AZOXYSTROBIN	0.013	ppm	3	PASS	ND	PYRIDABEN	0.007	ppm	3	PASS	ND
BIFENAZATE	0.028	ppm	3	PASS	ND	SPINETORAM	0.004	ppm	3	PASS	ND
BIFENTHRIN	0.047	ppm	0.5	PASS	ND	SPIROMESIFEN	0.009	ppm	3	PASS	ND
BOSCALID	0.007	ppm	3	PASS	ND	SPIROTETRAMAT	0.009	ppm	3	PASS	ND
CARBARYL	0.015	ppm	0.5	PASS	ND	SPIROXAMINE	0.006	ppm	0.1	PASS	ND
CARBOFURAN	0.008	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.009	ppm	1	PASS	ND
CHLORANTRANILIPROLE	0.012	ppm	1	PASS	ND	THIACLOPRID	0.008	ppm	0.1	PASS	ND
CHLORMEQUAT CHLORIDE	0.008	ppm	3	PASS	ND	THIAMETHOXAM	0.009	ppm	1	PASS	ND
CHLORPYRIFOS	0.014	ppm	0.1	PASS	ND	TOTAL SPINOSAD	0.009	ppm	3	PASS	ND
CLOFENTHIZINE	0.006	ppm	0.5	PASS	ND	TRIFLOXYSTROBIN	0.009	ppm	3	PASS	ND
COUMAPHOS	0.009	ppm	0.1	PASS	ND	CAPTAN	0.05	ppm	5	PASS	ND
CYPERMETHRIN	0.01	ppm	1	PASS	ND	CYFLUTHRIN	0.05	ppm	1	PASS	ND
DAMINOZIDE	0.006	ppm	0.1	PASS	ND	METHYL PARATHION	0.05	ppm	0.1	PASS	ND
DIAZANON	0.006	ppm	0.2	PASS	ND	PENTACHLORONITROBENZENE (PCNB)	0.05	ppm	0.2	PASS	ND
DICHLORVOS	0.014	ppm	0.1	PASS	ND						
DIMETHOATE	0.009	ppm	0.1	PASS	ND						
DIMETHOMORPH	0.009	ppm	3	PASS	ND						
ETHOPROPHOS	0.007	ppm	0.1	PASS	ND						
ETOFENPROX	0.009	ppm	0.1	PASS	ND						
ETOXAZOLE	0.007	ppm	1.5	PASS	ND						
FENHEXAMID	0.005	ppm	3	PASS	ND						
FENOXYCARB	0.007	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.006	ppm	2	PASS	ND						
FIPRONIL	0.008	ppm	0.1	PASS	ND						
FLONICAMID	0.014	ppm	2	PASS	ND						
FLUDIOXONIL	0.011	ppm	3	PASS	ND						
HEXYTHIAZOX	0.009	ppm	2	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.005	ppm	3	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND						
MALATHION	0.009	ppm	2	PASS	ND						
METALAXYL	0.008	ppm	3	PASS	ND						
METHIOCARB	0.008	ppm	0.1	PASS	ND						
METHOMYL	0.009	ppm	0.1	PASS	ND						
MEVINPHOS	0.001	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.006	ppm	3	PASS	ND						
NALED	0.023	ppm	0.5	PASS	ND						
OXAMYL	0.009	ppm	0.5	PASS	ND						
PACLOBUTRAZOL	0.007	ppm	0.1	PASS	ND						
PERMETHRINS	0.008	ppm	1	PASS	ND						
PHOSMET	0.009	ppm	0.2	PASS	ND						

Analyzed by: 2803 Weight: 1.0015g Extraction date: 02/14/24 15:39:15 Extracted by: 2803
 Analysis Method : SOP.T.30.101.TN, SOP.T.40.101.TN
 Analytical Batch : KN004541PES
 Instrument Used : E-SHI-125
 Running on : N/A
 Dilution : N/A
 Reagent : 013024.R03; 121323.R03; 013024.R02; 013024.R01; 011224.R14; 010224.R01; 102323.R25; 122023.01; 012624.05
 Consumables : 302110210; 264830; 22/04/01; 3254282; B9291.100; 01422036; 251760; 260148; 230713634D; 1008702218; EE154-US; 947.100; 0000257576; 1350331; H110738-34; n/a; 230315
 Pipette : E-EPP-080; E-EPP-081; E-EPP-082; E-VWR-116; E-VWR-117; E-VWR-118; E-VWR-119; E-LAB-123
 *Based on FL action limits.

This report shall not be reproduced, unless in its entirety, without written approval from Labstat. This report is an Labstat certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Sue Ferguson
 Lab Director

 State License # n/a
 ISO Accreditation # 17025:2017



Signature

02/26/24

Signed On



Certificate of Analysis

PASSED

Elevado Drinks

 One South Church Ave
 Tucson, AZ, 85701, US
 Telephone: (949) 375-0192
 Email: steve@elevadodrinks.com

 Sample : KN40212009-001
 Harvest/Lot ID: 001

 Batch# : 001
 Sampled : 02/09/24
 Ordered : 02/09/24

 Sample Size Received : 340 gram
 Completed : 02/26/24 Expires: 02/26/25

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
PROPANE	100	ppm	5000	PASS	ND
BUTANES (N-BUTANE)	100	ppm	5000	PASS	ND
METHANOL	20	ppm	250	PASS	ND
ETHYLENE OXIDE	0.2	ppm	5	PASS	ND
PENTANES (N-PENTANE)	32	ppm	750	PASS	ND
ETHANOL	100	ppm	5000	PASS	ND
ETHYL ETHER	10	ppm	500	PASS	ND
1,1-DICHLOROETHENE	0.6	ppm	8	PASS	ND
ACETONE	40	ppm	750	PASS	ND
2-PROPANOL	25	ppm	500	PASS	ND
ACETONITRILE	20	ppm	60	PASS	ND
DICHLOROMETHANE	2	ppm	125	PASS	ND
N-HEXANE	10	ppm	250	PASS	ND
ETHYL ACETATE	11	ppm	400	PASS	<40
CHLOROFORM	0.04	ppm	2	PASS	ND
BENZENE	0.03	ppm	1	PASS	ND
1,2-DICHLOROETHANE	0.05	ppm	2	PASS	ND
HEPTANE	53	ppm	5000	PASS	ND
TRICHLOROETHYLENE	0.5	ppm	25	PASS	ND
TOLUENE	1	ppm	150	PASS	ND
TOTAL XYLENES - M, P & O - DIMETHYLBENZENE	1	ppm	150	PASS	ND

 Analyzed by:
 3050

 Weight:
 0.0213g

 Extraction date:
 02/13/24 17:27:09

 Extracted by:
 3050

 Analysis Method : SOP.T.40.041.TN
 Analytical Batch : KN004534SOL
 Instrument Used : E-SHI-106
 Running on : N/A

 Reviewed On : 02/13/24 17:46:37
 Batch Date : 02/12/24 14:01:56

 Dilution : N/A
 Reagent : N/A
 Consumables : G201.100; G201.167
 Pipette : N/A

Residual solvents analysis is performed using Gas Chromatography / Mass Spectrometry. *Based on FL action limits.



Certificate of Analysis

PASSED

Elevado Drinks




 One South Church Ave
 Tucson, AZ, 85701, US
 Telephone: (949) 375-0192
 Email: steve@elevadodrinks.com

 Sample : KN40212009-001
 Harvest/Lot ID: 001

 Batch# : 001
 Sampled : 02/09/24
 Ordered : 02/09/24

 Sample Size Received : 340 gram
 Completed : 02/26/24 Expires: 02/26/25

Page 4 of 5

<div></div> <div>Microbial</div> <div>PASSED</div>						<div></div> <div>Mycotoxins</div> <div>PASSED</div>					
Analyte						Analyte					
LOD		Units	Result	Pass / Fail	Action Level	LOD		Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN G2			0.0016 ppm	ND	PASS 0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G1			0.0012 ppm	ND	PASS 0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN B2			0.0012 ppm	ND	PASS 0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN B1			0.0012 ppm	ND	PASS 0.02
ASPERGILLUS NIGER			Not Present	PASS		OCHRATOXIN A+			0.002 ppm	ND	PASS 0.02
ASPERGILLUS TERREUS			Not Present	PASS		TOTAL MYCOTOXINS			0.002 ppm	ND	PASS 0.02
TOTAL YEAST AND MOLD			10 CFU	ND	PASS 100000						
Analyzed by: 2837		Weight: 1.0324g	Extraction date: 02/13/24 13:56:31		Extracted by: 2837	Analyzed by: 2803		Weight: 1.0015g	Extraction date: 02/14/24 15:39:15		Extracted by: 2803
Analysis Method : SOP.T.40.056C, SOP.T.40.041 LOD is 1 CFU						Analysis Method : SOP.T.30.101.TN, SOP.T.40.101.TN					
Analytical Batch : KN004537MIC			Reviewed On : 02/14/24 11:57:29			Analytical Batch : KN004542MYC			Reviewed On : 02/14/24 16:20:17		
Instrument Used : E-HEW-069			Batch Date : 02/13/24 13:47:39			Instrument Used : E-SHI-125			Batch Date : 02/14/24 15:42:20		
Running on : N/A						Running on : N/A					
Dilution : N/A						Dilution : N/A					
Reagent : 010924.01; 111523.03; 042723.03						Reagent : 013024.R03; 121323.R03; 013024.R02; 013024.R01; 011224.R14; 010224.R01; 102323.R25; 122023.01; 012624.05					
Consumables : 264830; 6850215; GD220016; 1350331; 22/04/01; 20221223; 10RWL0415W15; 264041; 251760; 242429; 230612634D; P7528255; 41218-146C4-146C; 93825; n/a; 247040						Consumables : 302110210; 264830; 22/04/01; 3254282; B9291.100; 01422036; 251760; 260148; 230713634D; 1008702218; EE154-US; 947.100; 0000257576; 1350331; H110738-34; n/a; 230315					
Pipette : F-THE-045; E-THE-046; E-THE-047; E-THE-048; E-THE-049; E-THE-050; E-THE-051; E-THE-052; E-THE-053; E-THE-054						Pipette: E-EPP-080; E-EPP-081; E-EPP-082; E-VWR-116; E-VWR-117; E-VWR-118; E-VWR-119; E-LAB-123					
Microbiological testing for Fungal and Bacterial Identification via Polymerase Chain Reaction (PCR) method consisting of sample DNA amplified via tandem Polymerase Chain Reaction (PCR) as a crude lysate which avoids purification. With an LOD of 1cfu, if a pathogenic E Coli, Salmonella, A fumigatus, A flavus, A niger, or A terreus is detected in 1g of a sample, the sample fails the microbiological-impurity testing.						Aflatoxins B1, B2, G1, G2, and Ochratoxins Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry. *Based on FL action limits.					
Analyzed by: 3050		Weight: 1.0047g	Extraction date: 02/22/24 15:56:20		Extracted by: N/A	<div></div> <div>Heavy Metals</div> <div>PASSED</div>					
Analysis Method : SOP.T.40.209.TN						Metal					
Analytical Batch : KN004568TYM			Reviewed On : N/A			LOD		Units	Result	Pass / Fail	Action Level
Instrument Used : E-HEW-069			Batch Date : 02/22/24 14:01:38			ARSENIC-AS		0.02 ppm	ND	PASS	1.5
Running on : N/A						CADMIUM-CD		0.02 ppm	ND	PASS	0.5
Dilution : N/A						MERCURY-HG		0.02 ppm	ND	PASS	3
Reagent : N/A						LEAD-PB		0.02 ppm	ND	PASS	0.5
Consumables : N/A											
Pipette : N/A											
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques. *Based on FL action limits.						Analyzed by: 2837, 3050		Weight: 0.2537g	Extraction date: 02/13/24 16:08:18		Extracted by: 2990
						Analysis Method : SOP.T.30.082, SOP.T.40.082.TN					
						Analytical Batch : KN004538HEA			Reviewed On : 02/14/24 20:09:57		
						Instrument Used : E-AGI-084			Batch Date : 02/13/24 14:39:57		
						Running on : N/A					
						Dilution : N/A					
						Reagent : N/A					
						Consumables : N/A					
						Pipette : N/A					
						Heavy Metals analysis is performed using ICP-MS (Inductively Coupled Plasma - Mass Spectrometer) which can screen down to single digit ppb concentrations. LOQ is 0.04 ppm for all metals. *Based on FL action limits.					

Certificate of Analysis

PASSED

Elevado Drinks

One South Church Ave
Tucson, AZ, 85701, US
Telephone: (949) 375-0192
Email: steve@elevadodrinks.com

Sample : KN40212009-001
Harvest/Lot ID: 001

Batch# : 001
Sampled : 02/09/24
Ordered : 02/09/24

Sample Size Received : 340 gram
Completed : 02/26/24 Expires: 02/26/25

Page 5 of 5



**Filth/Foreign
Material**

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	1	%	ND	PASS	5

Analyzed by: 2837	Weight: 0.5453g	Extraction date: 02/15/24 11:43:02	Extracted by: 2837
----------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090
Analytical Batch : KN004544FIL
Instrument Used : E-AMS-138
Running on : N/A

Reviewed On : 02/15/24 11:43:33
Batch Date : 02/14/24 16:27:14

Dilution : N/A
Reagent : N/A
Consumables : 6850215; GD220016; 1350331
Pipette : N/A

This includes but is not limited to hair, insects, feces, packaging contaminants, and manufacturing waste and by-products. A SW-2T13 Stereo Microscope is used for inspection.

This report shall not be reproduced, unless in its entirety, without written approval from Labstat. This report is an Labstat certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Revision: #2 This revision supersedes any and all previous versions of this document.

Sue Ferguson
Lab Director

State License # n/a
ISO Accreditation # 17025:2017

Signature

02/26/24

Signed On