

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ELEVADO MANGO MARGARITA - 052124HTW (EDIBLE LIQUID) // THIS IS A REVISED COA ISSUED MAY 30, 2024

CLIENT: 1820 BREWING COMPANY // BATCH: PASS



MATRIX: EDIBLE LIQUID 1
DENSITY: 1.0226 g/ml 2
SAMPLE ID: NAL-240524-015
COLLECTED ON: MAY 24, 2024
RECEIVED ON: MAY 24, 2024
SAMPLE SIZE: 355 ML 1
SAMPLED BY: 1820 BREWING COMPANY
RECEIVED BY: ALEX ERAMO
SERVING SIZE: 355 ML 1

CANNABINOID OVERVIEW

Δ9-THC: 5.37 mg/srv
CBD: 4.79 mg/srv
TOTAL CANNABINOIDS: 10.2 mg/srv

¹ ENTERED BY CLIENT² ENTERED BY LAB

BATCH RESULT: PASS

POTENCY TESTED

CAN.1: POTENCY & CANNABINOID PROFILE BY HPLC-UV PREPARATION: MAY 28, 2024 // ANALYSIS: MAY 29, 2024

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/ml)	PASS/FAIL
CBC		ND	ND	0.00250/0.00500	N/
CBCA		ND	ND	0.00250/0.00500	A
CBD	0.00132 %	0.0135 mg/ml	0.0135 mg/ml	0.00250/0.00500	N/
CBDA		ND	ND	0.00250/0.00500	A
CBDV		ND	ND	0.00250/0.00500	N/
CBDVA		ND	ND	0.00250/0.00500	A
CBG		ND	ND	0.00250/0.00500	N/
CBGA		ND	ND	0.00250/0.00500	A
CBL		ND	ND	0.00500/0.00500	N/
CBLA		ND	ND	0.00250/0.00500	A
CBN		ND	ND	0.00250/0.00500	N/
CBNA		ND	ND	0.00250/0.00500	A
Δ8-THC		ND	ND	0.00500/0.00500	N/

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/ml)	PASS/FAIL
Δ8-THCA		ND	ND	0.00500/0.00500	N/
THC		0.00148 %	0.0151 mg/ml	0.00250/0.00500	A
Δ10-THC		ND	ND	0.00250/0.00500	N/
EXO-THC		ND	ND	0.00250/0.00500	A
THCV		ND	ND	0.00500/0.00500	N/
THCVA		ND	ND	0.00500/0.00500	A
TOTAL THC**		ND	ND	0.00250/0.00500	N/
TOTAL CBD**		ND	ND	0.00250/0.00500	A
CBD/SRV		ND	ND	0.00250/0.00500	N/
Δ9-THC/SRV		0.00148 %	0.0151 mg/ml	0.00250/0.00500	N/
TOTAL		0.00132 %	0.0135 mg/ml	0.00250/0.00500	A
THC/SRV		4.79 mg	4.79 mg	0.00250/0.00500	N/
TOTAL		5.37 mg	5.37 mg	0.00250/0.00500	A
CBD/SRV		4.79 mg	4.79 mg	0.00250/0.00500	A

** TOTAL CBD = (CBDA X 0.877) + CBD

** TOTAL THC = (THCA X 0.877) + THC

Reported on an as received basis

1000 µg/g = 1 mg/g



AUTHORIZED BY:
ZACHARY SMITH
LABORATORY MANAGER, NOVA
ANALYTIC LABS
MAY 30, 2024

NOTES

ZACHARY SMITH MAY 30, 2024	THIS IS A REVISED CERTIFICATE OF ANALYSIS ISSUED TO RE-REPORT THE SAMPLE WITH A 355 MILLILITER SERVING SIZE (REMOVING THE 355 MILLILITER PACKAGE SIZE ON THE ORIGINAL REPORT).
ZACHARY SMITH MAY 29, 2024	POTENCY & CANNABINOID PROFILE BY HPLC-UV THE STANDARD LAB UNCERTAINTY FOR POTENCY IS 5% OF THE REPORTED VALUE.

** FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.*

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OCP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR OTHER USER. THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED. THIS CERTIFICATE OF ANALYSIS IS RELEVANT ONLY TO THOSE ITEMS TESTED. THE SAMPLE WAS PROVIDED TO THE LABORATORY FOR TESTING BY THE CLIENT AND THE SAMPLE WAS TESTED AS RECEIVED.

END OF REPORT





Certificate of Analysis

CDPHE QA SAMPLE
2 of 4

ICAL ID: 20240607-050
Sample: CA240607-015-027
Mango Margarita
Strain: Mango Margarita
Category: Ingestible
Type: Beverage

Elevado Drinks
Lic. #
NA
San Diego, CA 92121
Lic. #

Batch#: 052124HTW
Batch Size Collected:
Total Batch Size:
Collected: 06/13/2024; Received: 06/13/2024
Completed: 06/13/2024

Residual Solvent Analysis

Category 1	LOQ LOD Limit Status				Category 2	LOQ LOD Limit Status				Category 2	LOQ LOD Limit Status						
	µg/g	µg/g	µg/g	µg/g		µg/g	µg/g	µg/g	µg/g		µg/g	µg/g	µg/g				
1,2-Dichloro-Ethane	NR	0.264	0.088	1	NT	Acetone	NR	51.246	0.716	5000	NT	n-Hexane	NR	0.281	0.027	290	NT
Benzene	NR	0.052	0.017	1	NT	Acetonitrile	0.42	0.14	NR	NT	Isopropanol	NR	2.86	0.614	5000	NT	
Chloroform	NR	0.076	0.025	1	NT	Butane	4.849	0.748	5000	NT	Methanol	NR	2.602	0.867	3000	NT	
Ethylene Oxide	NR	0.579	0.179	1	NT	Ethanol	7.575	2.525	5000	NT	Pentane	NR	5.075	1.692	5000	NT	
Methylene-Chloride	NR	0.729	0.08	1	NT	Ethyl-Acetate	2.288	0.175	5000	NT	Propane	NR	9.709	3.236	5000	NT	
Trichloroethene	NR	0.145	0.028	1	NT	Ethyl-Ether	2.869	0.389	5000	NT	Toluene	NR	0.864	0.067	890	NT	
						Heptane	2.859	0.496	5000	NT	Xylenes	NR	2.572	0.326	2170	NT	

NR = Not Reported (no analysis was performed), ND = Not Detected (the concentration is less than the Limit of Detection (LOD)). Analytical instrumentation used: HS-GC-MS; samples analyzed according to SOP CO-RS-INST-003.

Heavy Metal Screening

		LOQ	LOD	Limit	Status
	µg/g	µg/g	µg/g	µg/g	Pass
Arsenic	ND	0.009	0.003	1.5	Pass
Cadmium	ND	0.002	0.001	0.5	Pass
Lead	ND	0.004	0.001	0.5	Pass
Mercury	ND	0.014	0.005	1.5	

NR = Not Reported (no analysis was performed), ND = Not Detected (the concentration is less than the Limit of Detection (LOD)). Analytical instrumentation used: ICP-MS; samples analyzed according to SOP CO-HM-INST-003.

Microbiological Screening

	Limit	Result	Status
	CFU/g	CFU/g	
Salmonella SPP		Not Detected	Pass
STEC		Not Detected	Pass
Total Coliforms	100	NR	NT
Total Aerobic Plate Count	10000	NR	NT
Total Yeast and Mold	1000	NR	NT

ND=Not Detected. Analytical instrumentation used:qPCR and microbial plating; samples analyzed according to SOPs CO-MICRO-PREP-001 and CO-MICRO-PLATE-001.



In nite Chemical Analysis Labs
8312 Miramar Mall San Diego,
CA (858) 623-2740
www.in niteCAL.com Lic# C8-
0000047-LIC

Josh M Swider
Josh Swider
Lab Director, Managing Partner
06/13/2024

Con dent LIMS
All Rights Reserved
coa.support@con dentlims.com
(866) 506-5866
www.con dentlims.com



This product has been tested by In nite Chemical Analysis Labs, LLC using validated testing methods and a quality control system as required by state law. Sample processing and testing was performed in accordance with CDPHE Colorado Wholesale Food, Industrial Hemp, and Shell sh Regulations (6 CCR 1010-21). Values reported relate only to the product tested. In nite Chemical Analysis Labs, LLC makes no claims pertaining to the ef cacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full without the written approval of In nite Chemical Analysis Labs, LLC.



Certificate of Analysis

ICAL ID: 20240607-050
Sample: CA240607-015-027
Mango Margarita
Strain: Mango Margarita
Category: Ingestible
Type: Beverage

Elevado Drinks
Lic. #
NA
San Diego, CA 92121
Lic. #

Batch#: 052124HTW
Batch Size Collected:
Total Batch Size:
Collected: 06/13/2024; Received: 06/13/2024
Completed: 06/13/2024

CDPHE QA SAMPLE
3 of 4

Chemical Residue Screening

Category 1	LOQ	LOD	Status	Mycotoxins	LOQ	LOD	Limit	Status
	µg/g	µg/g	µg/g		µg/kg	µg/kg	µg/kg	
Aldicarb	ND	0.030	0.010	Pass	B1	ND	7.88 2.6	Tested
Carbofuran	ND	0.010	0.005	Pass	B2	ND	6.18 2.04	Tested
Chlorfenapyr	ND	0.024	0.008	Pass	G1	ND	8.99 2.97	Tested
Chlorpyrifos	ND	0.075	0.010	Pass	G2	ND	5.72 1.89	Tested
Coumaphos	ND	0.010	0.005	Pass	Ochratoxin A	ND	11.72 3.87	20 Pass
Daminozide	ND	0.075	0.050	Pass	Total A toxins	ND		20 Pass
Dichlorvos	ND	0.050	0.020	Pass				
Dimethoate	ND	0.010	0.005	Pass				
Ethoprophos	ND	0.010	0.005	Pass				
Etofenprox	ND	0.030	0.010	Pass				
Fenoxycarb	ND	0.010	0.005	Pass				
Fipronil	ND	0.010	0.005	Pass				
Imazalil	ND	0.010	0.005	Pass				
Methiocarb	ND	0.010	0.005	Pass				
Mevinphos	ND	0.025	0.010	Pass				
MGK-264	ND	0.016	0.005	Pass				
Pacllobutrazol	ND	0.010	0.005	Pass				
Parathion Methyl	ND	0.026	0.009	Pass				
Propoxur	ND	0.010	0.005	Pass				
Spiroxamine	ND	0.030	0.020	Pass				
Thiacloprid	ND	0.010	0.005	Pass				

Category 2		LOQ	LOD	Limit	Status	Category 2		LOQ	LOD	Limit	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	ND	0.100	0.050	0.25	Pass	Kresoxim Methyl	ND	0.030	0.010	0.15	Pass
Acephate	ND	0.030	0.010	0.05	Pass	Malathion	ND	0.010	0.005	0.01	Pass
Acequinocyl	ND	0.075	0.020	0.075	Pass	Metalaxyl	ND	0.010	0.005	0.01	Pass
Acetamiprid	ND	0.030	0.010	0.05	Pass	Methomyl	ND	0.025	0.010	0.025	Pass
Azoxystrobin	ND	0.010	0.005	0.01	Pass	Myclobutanil	ND	0.010	0.005	0.01	Pass
Bifenazate	ND	0.010	0.005	0.01	Pass	Naled	ND	0.030	0.020	0.03	Pass
Bifenthrin	ND	0.030	0.005	0.03	Pass	Oxamyl	ND	0.030	0.020	1.5	Pass
Boscalid	ND	0.010	0.005	0.01	Pass	Pentachloronitrobenzene	ND	0.016	0.005	0.016	Pass
Carbaryl	ND	0.025	0.010	0.025	Pass	Permethrin	ND	0.030	0.020	0.03	Pass
Chlorantraniliprole	ND	0.030	0.010	0.03	Pass	Phosmet	ND	0.030	0.020	0.03	Pass
Clofentezine	ND	0.010	0.005	0.01	Pass	Piperonyl Butoxide	ND	0.030	0.010	1.25	Pass
Cy uthrin	ND	0.038	0.013	0.0384	Pass	Prallethrin	ND	0.075	0.030	0.075	Pass
Cypermethrin	ND	0.053	0.018	0.0525	Pass	Propiconazole	ND	0.030	0.010	0.03	Pass
Diazinon	ND	0.030	0.010	0.03	Pass	Pyrethrins	ND	0.045	0.010	0.045	Pass
Dimethomorph	ND	0.030	0.010	0.03	Pass	Pyridaben	ND	0.020	0.010	0.02	Pass
Etoxazole	ND	0.030	0.010	0.03	Pass	Spinetoram	ND	0.010	0.005	0.01	Pass
Fenhexamid	ND	0.045	0.020	0.045	Pass	Spinosad	ND	0.010	0.005	0.01	Pass
Fenpyroximate	ND	0.030	0.010	0.03	Pass	Spiromesifen	ND	0.030	0.010	0.03	Pass
Flonicamid	ND	0.025	0.010	0.025	Pass	Spirotetramat	ND	0.010	0.005	0.01	Pass
Fludioxonil	ND	0.010	0.005	0.01	Pass	Tebuconazole	ND	0.010	0.005	0.01	Pass
Hexythiazox	ND	0.030	0.010	0.03	Pass	Thiamethoxam	ND	0.010	0.005	0.01	Pass
Imidacloprid	ND	0.010	0.005	0.01	Pass	Tri oxystrobin	ND	0.010	0.005	0.01	Pass

Other Analyte(s):

NR = Not Reported (no analysis was performed), ND = Not Detected (the concentration is less than the Limit of Detection (LOD)). Analytical instrumentation used: LC-MS-MS & GC-MS-MS; samples analyzed according to SOPs CO-PESTMYCO-LC-INST-004 and CO-PEST-GC-INST-004 and CO-PEST-GC-INST-003.



In nite Chemical Analysis Labs
8312 Miramar Mall San Diego,
CA (858) 623-2740
www.in niteCAL.com Lic# C8-
0000047-LIC

Josh M Swider

Josh Swider
Lab Director, Managing Partner
06/13/2024

Con dent LIMS
All Rights Reserved
coa.support@con dentlims.com
(866) 506-5866
www.con dentlims.com



This product has been tested by In nite Chemical Analysis Labs, LLC using validated testing methods and a quality control system as required by state law. Sample processing and testing was performed in accordance with CDPHE Colorado Wholesale Food, Industrial Hemp, and Shell sh Regulations (6 CCR 1010-21). Values reported relate only to the product tested. In nite Chemical Analysis Labs, LLC makes no claims pertaining to the ef cacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full without the written approval of In nite Chemical Analysis Labs, LLC.



Certificate of Analysis

ICAL ID: 20240607-050
Sample: CA240607-015-027
Mango Margarita
Strain: Mango Margarita
Category: Ingestible
Type: Beverage

Elevado Drinks
Lic. #
NA
San Diego, CA 92121
Lic. #

Batch#: 052124HTW
Batch Size Collected:
Total Batch Size:
Collected: 06/13/2024; Received: 06/13/2024
Completed: 06/13/2024

CDPHE QA SAMPLE

4 of 4

Chemical Residue Screening

Analytes	LOQ	LOD	Limit	Status	Analytes	LOQ	LOD	Limit	Status		
	µg/g	µg/g	µg/g	µg/g		µg/g	µg/g	µg/g	µg/g		
Abamectin	ND	0.100	0.050	0.250	Pass	Fludioxonil	ND	0.010	0.005	0.010	Pass
Acephate	ND	0.030	0.010	0.050	Pass	Fluopyram	ND	0.005	0.005	0.010	Pass
Acequinocyl	ND	0.075	0.020	0.075	Pass	Hexythiazox	ND	0.030	0.010	0.030	Pass
Acetamiprid	ND	0.030	0.010	0.050	Pass	Imazalil	ND	0.010	0.005	0.010	Pass
Aldicarb	ND	0.030	0.010	0.500	Pass	Imidacloprid	ND	0.010	0.005	0.010	Pass
Allethrin	ND	0.030	0.015	0.100	Pass	Iprodione	ND	0.475	0.158	0.500	Pass
Atrazine	ND	0.005	0.005	0.005	Pass	Kinoprene	ND	0.221	0.074	1.250	Pass
Azadirachtin	ND	0.050	0.030	0.500	Pass	Kresoxim Methyl	ND	0.030	0.010	0.150	Pass
Azoxystrobin	ND	0.010	0.005	0.010	Pass	Lambda-Cyhalothrin	ND	0.050	0.030	0.050	Pass
Benzovindin upyr	ND	0.005	0.005	0.010	Pass	Malathion	ND	0.010	0.005	0.010	Pass
Bifenazate	ND	0.010	0.005	0.010	Pass	Metalaxyl	ND	0.010	0.005	0.010	Pass
Bifenthrin	ND	0.030	0.005	0.030	Pass	Methiocarb	ND	0.010	0.005	0.010	Pass
Boscalid	ND	0.010	0.005	0.010	Pass	Methomyl	ND	0.025	0.010	0.025	Pass
Buprofezin	ND	0.030	0.015	0.030	Pass	Methoprene	ND	0.050	0.025	0.050	Pass
Captan	ND	0.358	0.120	5.000	Pass	Mevinphos	ND	0.025	0.010	0.025	Pass
Carbaryl	ND	0.025	0.010	0.025	Pass	MGK-264	ND	0.016	0.005	0.050	Pass
Carbofuran	ND	0.010	0.005	0.010	Pass	Myclobutanil	ND	0.010	0.005	0.010	Pass
Chlorantraniliprole	ND	0.030	0.010	0.030	Pass	Naled	ND	0.030	0.020	0.030	Pass
Chlordane	ND	0.075	0.025	0.025	Pass	Novaluron	ND	0.020	0.010	0.025	Pass
Chlorfenapyr	ND	0.024	0.008	1.500	Pass	Oxamyl	ND	0.030	0.020	1.500	Pass
Chlorpyrifos	ND	0.075	0.010	0.500	Pass	Paclobutrazol	ND	0.010	0.005	0.010	Pass
Clofentezine	ND	0.010	0.005	0.010	Pass	Parathion Methyl	ND	0.026	0.009	0.026	Pass
Clothianidin	ND	0.010	0.005	0.025	Pass	Pentachloronitrobenzene	ND	0.016	0.005	0.016	Pass
Coumaphos	ND	0.010	0.005	0.010	Pass	Permethrin	ND	0.030	0.020	0.030	Pass
Cyantraniliprole	ND	0.010	0.005	0.010	Pass	Phenothrin	ND	0.030	0.015	0.030	Pass
Cy uthrin	ND	0.038	0.013	0.038	Pass	Phosmet	ND	0.030	0.020	0.030	Pass
Cypermethrin	ND	0.053	0.018	0.053	Pass	Piperonyl Butoxide	ND	0.030	0.010	1.250	Pass
Cyprodinil	ND	0.010	0.005	0.010	Pass	Piperonyl Butoxide	ND	0.010	0.005	0.010	Pass
Daminozide	ND	0.075	0.050	0.075	Pass	Pirimicarb	ND	0.075	0.030	0.075	Pass
Deltamethrin	ND	0.050	0.025	0.050	Pass	Prallethrin	ND	0.075	0.030	0.075	Pass
Diazinon	ND	0.030	0.010	0.030	Pass	Propiconazole	ND	0.030	0.010	0.030	Pass
Dichlorvos	ND	0.050	0.020	0.050	Pass	Propoxur	ND	0.010	0.005	0.010	Pass
Dimethoate	ND	0.010	0.005	0.010	Pass	Pyraclostrobin	ND	0.010	0.005	0.010	Pass
Dimethomorph	ND	0.030	0.010	0.030	Pass	Pyrethrins	ND	0.045	0.010	0.045	Pass
Dinotefuran	ND	0.050	0.025	0.050	Pass	Pyridaben	ND	0.020	0.010	0.020	Pass
Diuron	ND	0.010	0.005	0.010	Pass	Pyriproxifen	ND	0.010	0.005	0.010	Pass
Dodemorph	ND	0.020	0.010	0.020	Pass	Resmethrin	ND	0.050	0.025	0.050	Pass
Endosulfan I	ND	0.353	0.118	2.500	Pass	Resmethrin	ND	0.010	0.005	0.010	Pass
Endosulfan II	ND	0.239	0.080	2.500	Pass	Spinetoram	ND	0.010	0.005	0.010	Pass
Endosulfan Sulfate	ND	0.026	0.009	2.500	Pass	Spirosad	ND	0.050	0.025	0.050	Pass
Ethoprophos	ND	0.010	0.005	0.010	Pass	Spirodiclofen	ND	0.030	0.010	0.030	Pass
Etofenprox	ND	0.030	0.010	0.030	Pass	Spiromesifen	ND	0.010	0.005	0.010	Pass
Etoazole	ND	0.030	0.010	0.030	Pass	Spirotetramat	ND	0.030	0.020	0.030	Pass
Etridiazole	ND	0.044	0.015	0.150	Pass	Spiroxamine	ND	0.010	0.005	0.010	Pass
Fenhexamid	ND	0.045	0.020	0.045	Pass	Tebuconazole	ND	0.010	0.005	0.010	Pass
Fenoxycarb	ND	0.010	0.005	0.010	Pass	Tebufenozide	ND	0.020	0.010	0.025	Pass
Fenpyroximate	ND	0.030	0.010	0.030	Pass	Te ubenzuron	ND	0.010	0.005	0.010	Pass
Fensulfothion	ND	0.010	0.005	0.010	Pass	Tetrachlorvinphos	ND	0.010	0.005	0.010	Pass
Fenthion	ND	0.007	0.002	0.010	Pass	Tetramethrin	ND	0.050	0.025	0.050	Pass
Fenvalerate	ND	0.402	0.134	0.402	Pass	Thiabendazole	ND	0.010	0.005	0.010	Pass
Fipronil	ND	0.010	0.005	0.010	Pass	Thiacloprid	ND	0.010	0.005	0.010	Pass
Flonicamid	ND	0.025	0.010	0.025	Pass	Thiamethoxam	ND	0.010	0.005	0.010	Pass
					Pass	Thiophanate-Methyl	ND	0.020	0.010	0.020	Pass
						Tri oxystrobin	ND	0.010	0.005	0.010	Pass

Mycotoxins	LOQ	LOD	Limit	Status
	µg/kg	µg/kg	µg/kg	µg/kg
B1	ND	7.88	2.6	Tested
B2	ND	6.18	2.04	Tested
G1	ND	8.99	2.97	Tested

Mycotoxins	LOQ	LOD	Limit	Status
	µg/kg	µg/kg	µg/kg	µg/kg
G2	ND	5.72	1.89	Tested
Ochratoxin A	ND	11.72	3.87	Pass
Total A toxins	ND		20	Pass

Other Analyte(s):

NR = Not Reported (no analysis was performed), ND = Not Detected (the concentration is less than the Limit of Detection (LOD)). Analytical instrumentation used: LC-MS-MS & GC-MS-MS; samples analyzed according to SOPs CO-PESTMYCO-LC-INST-004 and CO-PEST-GC-INST-004 and CO-PEST-GC-INST-003.



In nite Chemical Analysis Labs
8312 Miramar Mall San Diego,
CA (858) 623-2740
www.in niteCAL.com Lic# C8-
0000047-LIC

Josh M Swider

Josh Swider
Lab Director, Managing Partner
06/13/2024

Con dent LIMS
All Rights Reserved
coa.support@con dentlims.com
(866) 506-5866
www.con dentlims.com



This product has been tested by In nite Chemical Analysis Labs, LLC using validated testing methods and a quality control system as required by state law. Sample processing and testing was performed in accordance with CDPHE Colorado Wholesale Food, Industrial Hemp, and Shell sh Regulations (6 CCR 1010-21). Values reported relate only to the product tested. In nite Chemical Analysis Labs, LLC makes no claims pertaining to the ef cacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full without the written approval of In nite Chemical Analysis Labs, LLC.

Certificate of Analysis Appendix

Residual Solvents - Utah Industrial Hemp

Analyte	Result (ug/g)	LOD (ug/g)	LOQ (ug/g)	Action Limit(ug/g)	Status
1,2 Dimethoxyethane	ND	5.9917	17.975	100	Pass
1,4 Dioxane	ND	12.8684	38.6052	380	Pass
1-Butanol	ND	3.1446	9.4337	5,000	Pass
1-Pentanol	ND	9.9794	29.9383	5,000	Pass
1-Propanol	ND	6.9987	20.9962	5,000	Pass
2-Butanol	ND	9.5709	28.7127	5,000	Pass
2-Butanone	ND	7.2129	21.6386	5,000	Pass
2-Ethoxyethanol	ND	3.8723	11.6169	160	Pass
2-methylbutane	ND	0.679	2.037	5,000	Pass
2-methylpentane	ND	9.0715	27.2145	290	Pass
3-methylpentane	ND	7.3795	22.1384	290	Pass
2-Propanol (IPA)	ND	11.5286	34.5857	5,000	Pass
Acetone	ND	8.2267	24.6802	5,000	Pass
Acetonitrile	ND	8.3746	25.1238	410	Pass
Benzene	ND	0.3588	1.0763	2	Pass
Butane	ND	9.552	28.6559	5,000	Pass
Cumene	ND	8.32	24.96	70	Pass
Cyclohexane	ND	8.4235	25.2705	3,880	Pass
Dichloromethane	ND	3.9511	11.8533	600	Pass
2,2-dimethylbutane	ND	0.8804	2.6412	290	Pass
2,3-dimethylbutane	ND	0.9493	2.8479	290	Pass
Dimethyl sulfoxide	ND	8.3992	25.1976	5,000	Pass
Ethanol	ND	4.8156	14.4469	5,000	Pass
Ethyl acetate	ND	14.2542	42.7625	5,000	Pass
Ethyl ether	ND	6.8124	20.4372	5,000	Pass
Ethylene glycol	ND	3.4447	10.334	620	Pass
Ethylene Oxide	ND	6.5244	19.5733	50	Pass
Heptane	ND	0.4144	1.2431	5,000	Pass
Hexane	ND	0.5026	1.5078	290	Pass
Isobutane	ND	10.2495	30.7486	5,000	Pass
Isopropyl acetate	ND	4.1274	12.3823	5,000	Pass
Methanol	ND	18.42	55.26	3,000	Pass
N,N-dimethylacetamide	ND	268.955	806.8649	1,090	Pass
N,N-dimethylformamide	ND	2.7382	8.2147	880	Pass
Pentane	ND	0.8382	2.5146	5,000	Pass
Propane	ND	7.9467	23.8402	5,000	Pass
Pyridine	ND	19.55	58.64	100	Pass
Sulfolane	ND	22.886	68.6581	160	Pass
Tetrahydrofuran	ND	6.2156	18.6469	720	Pass
Toluene	ND	0.4061	1.2184	890	Pass
Total Xylenes	ND	10.3738	31.1216	2,170	Pass

Josh M Swider

Josh Swider
Lab Director, CEO

Mango Margarita
6/10/2024